

# Belt Sanders PBS 75 A

The belt sander PBS 75 A – powerful sanding and perfect handling

Go to product



# Key product features

- Powerful and robust belt sander for a high material removal rate on large surfaces
- Perfect handling easy to control thanks to improved ergonomics and compact design
- Robust housing high quality and stability due to aluminium components

# Other product advantages

- Automatic belt system holds the belt in the right position during sanding
- Sanding belt tensioning system for convenient and easy sanding belt changes
- Bosch microfilter system the built-in dust extraction element draws the dust directly into the supplied microfilter box

# Comes complete with

- 1 sanding belt K 80

**Part number:** 06032A1040 **EAN code:** 3165140739368



#### **Belt Sanders**

## **PBS 75 A**

#### **Technical data**

Power input: 710 W Belt speed: 350 m/min

Sanding surface: 76 x 165 mm Belt dimensions: 75 x 533 mm

Machine weight: 3,4 kg

## Noise / vibration information

Measured values determined according to EN 60745. Total vibration values (vector sum of three directions).

Vibration emission value ah: 3.5 m/s<sup>2</sup>

Uncertainty K: 1.5 m/s<sup>2</sup>

The A-rated noise level of the power tool is typically as follows: Sound pressure level 93 dB(A); Sound power level 104 dB(A). Uncertainty K= 3 dB.

#### **Functions**



#### **Power input**

710 watts



#### Bosch Low Vibration

Maximum running smoothness for safe working

Automatic belt system

Exact positioning of the belt when sanding



# Bosch micro filter system



A clear view of the sanding surface, and a clean work area



## Additional handle

Safe guidance when sanding

# **Functions**

Micro-filter system
Automatic belt system
Sanding belt clamping system